



ADJUSTABLE SALAMANDER

ELECTRIC

ADJUSTABLE SALAMANDER

"Anvil's adjustable height salamanders are ideal for gratinating, melting cheese, toasting sandwiches, etc. They are also useful for defrosting ready-made dishes, reheating pizza's, croissants, sausage rolls, etc."

APPLICATION

- PERFECT FOR RESTAURANTS, PUBS, COFFEE SHOPS AND CANTEENS.
- GRILLS, MELTS, ROASTS AND BROWNS.
- CAN BE USED AS A PLATE WARMER.

CONSTRUCTION

- FULLY ADJUSTABLE WARMING HEIGHT.
- HEAVY DUTY COUNTER BALANCE SYSTEM.
- SLIDING TRAY WITH STOPPER FOR EASY LOADING AND UNLOADING.
- AVAILABLE IN TWO DIFFERENT SIZES.
- SUPPLIED WITH ONE REMOVABLE GRID.

HEATING

- VARIABLE HEAT CONTROL.
- EVEN DISTRIBUTION OF HEAT FOR CONSISTENT RESULTS.
- 600MM WIDE SALAMANDER HAS TWO VARIABLE HEAT CONTROLS – ONE SIDE ONLY CAN BE USED IF DESIRED.



Anvil reserves the right, without notice, to make changes and revisions to product specifications, materials and design, which in our opinion, will provide better performance, durability and efficiency.




ALL ANVIL EQUIPMENT COMES WITH A ONE YEAR WARRANTY ON COMPONENTS AND DEFECTIVE WORKMANSHIP









NOTE:

When viewing the appliance from the front in its usual operating position, the width (W) of the product is the total distance from left to right ; the depth (D) of the product is the total distance from front to back ; the height (H) is the total distance from the bottom of the product to the top

**ADJUSTABLE
SALAMANDER** **MODELS:
SAK0450
SAK0600**



DESCRIPTION	SALAMANDER 450MM	SALAMANDER 600MM
MODELS	SAK0450	SAK0600
VOLTAGE (V)	230	230
POWER (kW)	2.8	4
DIMENSIONS (mm) (W x D x H)	450 x 510 x 528	600 x 510 x 528
DIMENSIONS (in) (W x D x H)	17.6 x 20 x 20.7	23.5 x 20 x 20.7
BOX DIMNS (mm) (W x D x H)	595 x 585 x 580	730 x 585 x 580
BOX DIMNS (in) (W x D x H)	23.4 x 23 x 22.7	28.6 x 23 x 22.7
PACKED WEIGHT (kg)	38	50
PACKED WEIGHT (lbs)	83.6	110
	  	  

Note: Output performance figures quoted are dependant on various factors.

Manufactured by:
Scientific Engineering (Pty) Ltd
South Africa
Website: www.anvilworld.com

